

Přehled

Informace o produktu



FMEH-04P-13020000042

DIN rail housings, Complete housing with metal foot catch,tall design,with TBUS options, with vents,Width:22.6mm,Color: light gray,material:PA66,Flammability rating :V0.

Výhoda produktu

- ☒ Modular design
- ☒ Multiple connection technologies optional, signal, data,and power transmission can be realized
- ☒ bus connector is optional
- ☒ Various personalized solutions can be achieved according to customer needs

Certifikace výrobku

Technická data

Tabulka produktů

3D model

□

Dimensions

width	22.6mm
length	99mm
Height	114mm
Depth from top edge of DIN rail	107mm

PCB data

Number of PCB holders	1
PCB thickness	1.5mm
Installation location	Vertical (horizontal DIN rail)
PCBType of installation	Latching

Item properties

IP class	IP20
Connection levels	3(Both sides)
with ventilation openings	Yes
Maximum connection	24 (pitch 5.0mm)

Material data

color	Light gray
Material	PA66
Flammability rating	V0

Environmental data

Ambient temperature (assembly)	-5℃ ~ +100℃
Ambient temperature (operation)	-40℃ ~ +125℃
Ambient temperature (storage / transport)	-40℃ ~ +55℃

Příloha

Accessories

PCB Plug	2EDGKF-5.0-04P-11-00A(H)
PCB Socket	2EDGLF-5.0-04P-11-00A(H)
The bus terminal	FBUS22.5-05P-11-00A(H)

Obchodní data

číslo objednávky	13020000042
Balící jednotka	20
Minimální množství pro objednání	20

Hmotnost výrobku (bez obalu)	49
------------------------------	----