

Přehled

Informace o produktu



FMET-03P-13020000254

DIN rail housings, Complete housing with metal foot catch,tall design, with vents, Width: 17.7mm, Unable to compatible bus connector,color:green,material:PA66,Flammability rating :V0,IP class:IP20.

Výhoda produktu

- ☒ Modular design
- ☒ Multiple connection technologies optional, signal, data,and power transmission can be realized
- ☒ bus connector is optional
- ☒ Various personalized solutions can be achieved according to customer needs

Certifikace výrobku

Technická data

Tabulka produktů

3D model

□

Dimensions

width	17.7mm
length	99.7mm
Height	114.7mm
Depth from top edge of DIN rail	107.7mm

PCB data

Number of PCB holders	2
PCB thickness	1.8mm
Installation location	Vertical (horizontal DIN rail)
PCBType of installation	Latching

Item properties

IP class	IP20
Connection levels	2(Both sides)
with ventilation openings	Yes
Maximum connection	12 (pitch 5.08mm)

Material data

color	green
Material	PA66
Flammability rating	V0

Environmental data

Ambient temperature (assembly)	-5°C ~ +105°C
Ambient temperature (operation)	-40°C ~ +105°C
Ambient temperature (storage / transport)	-40°C ~ +55°C

Příloha

Accessories

PCB Plug	2EDGKF-5.0-03P-14-00A(H)
PCB Socket	2EDGLF-5.0-03P-14-00A(H)

Obchodní data

číslo objednávky	13020000254
Balící jednotka	24CS
Minimální množství pro objednání	24
Hmotnost výrobku (bez obalu)	46.8

