

Přehled

Informace o produktu



FMET-02P-13020000065

DIN rail housings, Complete housing with metal foot catch,tall design, with vents, Width: 12.7mm, Unable to compatible bus connector,color:green,material:PA66,Flammability rating :V0,IP class:IP20.

Výhoda produktu

- ☒ Modular design
- ☒ Multiple connection technologies optional, signal, data,and power transmission can be realized
- ☒ bus connector is optional
- ☒ Various personalized solutions can be achieved according to customer needs

Certifikace výrobku

Technická data

Tabulka produktů

3D model

□

Dimensions

width	12.7mm
length	99.7mm
Height	114.7mm
Depth from top edge of DIN rail	107.7mm

PCB data

Number of PCB holders	1
PCB thickness	1.8mm
Installation location	Vertical (horizontal DIN rail)
PCBType of installation	Latching

Item properties

IP class	IP20
Connection levels	2(Both sides)
with ventilation openings	Yes
Maximum connection	8 (pitch 5.0mm)

Material data

color	green
Material	PA66
Flammability rating	V0

Environmental data

Ambient temperature (assembly)	-5°C ~ +105°C
Ambient temperature (operation)	-40°C ~ +105°C
Ambient temperature (storage / transport)	-40°C ~ +55°C

Příloha

Accessories

PCB Plug	2EDGKF-5.0-02P-14-00A(H)
PCB Socket	2EDGLF-5.0-02P-14-00A(H)

Obchodní data

číslo objednávky	13020000065
Balící jednotka	32
Minimální množství pro objednání	32
Hmotnost výrobku (bez obalu)	42.9

